This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A GBV-B replicon comprising the following regions:

a GBV-B 5' UTR ~~substantially similar~~ that is at least 85% identical to bases 1-445 of SEQ ID NO 1;

a selection or reporter sequence functionally coupled to said GBV-B 5' UTR;

an internal ribosome entry site;

a NS3-NS5B sequence ~~substantially similar~~ that is at least 85% identical to bases 1938-7709 of SEQ ID NO: 1 functionally coupled to said internal ribosome entry site and an AUG translation initiation codon; and

a GBV-B 3' UTR ~~substantially similar~~ that is at least 85% identical to bases 7710-8069 of SEQ ID NO: 1,

wherein said replicon is capable of replication in a cell.

2. (original) The GBV-B replicon of claim 1, further comprising a GBV-B structural region, wherein said GBV-B structural region is functionally coupled to said GBV-B 5' UTR.

3. (currently amended) The GBV-B replicon of claim 2, wherein

said GBV-B structural region comprises a sequence ~~substantially similar~~ that is at least 85% identical to a sequence selected from the group consisting of: bases 446-511 of SEQ ID NO: 1, bases 446-487 of SEQ ID NO: 1, bases of 446-469 of SEQ ID NO: 1, the RNA version of bases 446-2641 of SEQ ID NO: 2, and the RNA version of bases 446-3265 of SEQ ID NO: 2.

4. (original) The GBV-B replicon of claim 3, wherein said replicon consists of:

said GBV-B 5' UTR;

said GBV-B structural region;

said selection or reporter sequence;

said internal ribosome entry site;

said NS3-NS5B sequence; and

said GBV-B 3' UTR.

5. (original) The GBV-B replicon of claim 4, wherein

said internal ribosome entry site has the sequence of bases 1324-1934 of SEQ ID NO 1;

said GBV-B structural region consisting of a sequence selected from the group consisting of: bases 446-511 of SEQ ID NO: 1, bases 446-487 of SEQ ID NO: 1, bases of 446-469 of SEQ ID NO 1, the RNA version of bases 446-2642 of SEQ ID NO: 2 and the RNA version of bases 446-3265 of SEQ ID NO: 2;

said NS3-NS5B region is Met-NS3-NS5B region consisting of bases 1935-7709 of SEQ ID NO: 1; and

said GBV-B 3' UTR is bases 7710-8069 of SEQ ID NO: 1.

6. (withdrawn) The GBV-B replicon of claim 5, wherein said GBV-B structural region consists either of the RNA version of bases 446-2642 of SEQ ID NO: 2 or the RNA version of bases 446-3265 of SEQ ID NO: 2.

7. (original) The GBV-B replicon of claim 1, wherein said replicon consists of SEQ ID NO: 1.

8. (currently amended) The GBV-B replicon of claim 2, wherein

said GBV-B structural region comprises a sequence ~~substantially similar~~ that is at least 85% identical to a sequence selected from the group consisting of: bases 446-511 of SEQ ID NO: 1, bases 446-487 of SEQ ID NO: 1, bases of 446-469 of SEQ ID NO: 1, and the RNA version of bases 446-2641 of SEQ ID NO: 2.

9. (original) The GBV-B replicon of claim 3, wherein said replicon consists of:

said GBV-B 5' UTR;

said selection or reporter sequence;

said internal ribosome entry site;

said GBV-B structural region;

a NS2-NS5B region comprising a NS2 region substantially similar to the RNA version of bases 2642-3265 of SEQ ID NO: 2 joined to the 5' end of said NS3-NS5B region; and

said GBV-B 3' UTR.

10. (original) The GBV-B replicon of claim 9, wherein

said internal ribosome entry site has the sequence of 1324-1934 of SEQ ID NO 1;

said GBV-B structural region comprises a sequence selected from the group consisting of: bases 446-511 of SEQ ID NO 1, bases 446-487 of SEQ ID NO 1, bases of 446-469 of SEQ ID NO 1, and the RNA version of bases 446-2641 of SEQ ID NO: 2;

said NS2-NS5B is a Met-NS2-NS5B region consisting of said 5' AUG translation initiation codon, said NS2 region, and said NS3-NS5B region, wherein said NS2 region consists of the RNA version of bases 2642-3265 of SEQ ID NO: 2 and said NS3-NS5B consists of bases 1938-7709 of SEQ ID NO: 1; and

said GBV-B 3' UTR is bases 7710-8069 of SEQ ID NO: 1.

11. (original) The GBV-B replicon of claim 10, wherein said replicon produces an infectious virion.

12. (previously amended) An expression vector comprising a promoter transcriptionally coupled to a nucleotide sequence coding the GBV-B replicon of claim 1.

13. (previously amended) A GBV-B replicon made by a process comprising the steps of transfecting a cell with the replicon of claim 1 and isolating said replicon.

14. (original) The GBV-B replicon of claim 13, wherein said cell is either a Huh7 cell, a Hep3B cell, is derived from a Huh7 cell, or is derived from a Hep3B cell.

15. (withdrawn) A method of making a second GBV-B replicon from a first GBV-B replicon comprising the steps of:

a) transfecting a cell with said first replicon, wherein said first replicon is the replicon of claim 1;

b) isolating a replicon from said transfected cell;

c) determining the nucleotide sequence of said replicon from said transfected cell; and

d) producing said second replicon, wherein said second replicon contains the first replicon sequence with one or more alterations corresponding to said replicon from said transfected cell.

16. (withdrawn) The method of claim 15, wherein said cell is either a Huh7 cell, a Hep3B cell, is derived from a Huh7 cell, or is derived from a Hep3B cell.

17. (withdrawn) A method of measuring the ability of a compound to affect GBV-B replicon activity comprising the steps of:

a) providing said compound to a cell containing the GBV-B replicon of claim 1; and

b) measuring the ability of said compound to affect one or more replicon activities as a measure of the effect on GBV-B replicon activity.

18. (withdrawn) The method of claim 17, wherein said cell is a human hepatoma cell.

19. (withdrawn) The method of claim 18, wherein said cell is either a Huh7 cell, a Hep3B cell, is derived from a Huh7 cell, or is derived from a Hep3B cell.

20. (original) A GBV-B replicon enhanced cell, wherein said cell has an maintenance and activity efficiency of at least 25% when transfected with a GBV-B replicon of SEQ ID NO: 1 by the Electroporation Method.

21. - 23. (cancelled)

24. (currently amended) A method of making a GBV-B replicon enhanced cell comprising the steps of:

a) introducing and maintaining the GBV-B replicon of claim 1 in a cell *in vitro*; and

b) curing said cell of said GBV-B replicon to produce said replicon enhanced cell.

25. - 26. (cancelled)

27. (currently amended) A method of making a GBV-B replicon enhanced cell containing a functional GBV-B replicon comprising the steps of:

a) introducing and maintaining a first GBV-B replicon in a cell *in vitro*, wherein said first replicon is the replicon of claim 1;

b) curing said cell of said first replicon to produce a cured cell; and

c) introducing and maintaining a second GBV-B replicon into said cured cell, wherein said second GBV-B replicon may be the same or different than said first GBV-B replicon.

28. - 47. (cancelled)